



# Certificate of Analysis



Sample: **DE40718018-028**  
Seed to Sale# 1A4000B00010D25000005085  
Sample Size Received: 30 ml  
Total Amount: 30 ml  
Retail Product Size: 30 ml  
Retail Serving Size: 1 ml  
Servings: 1  
Sample Density: 0.96 g/mL  
Ordered: 07/04/24  
Sampled: 07/18/24  
Completed: 07/20/24

Jul 20, 2024 | Natural Ways  
License # 405R-00011  
23802 FM 2978 Suite A5  
Tomball, TX, 77375, US


**TESTED**

Pages 1 of 2

**SAFETY RESULTS**

 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Homogeneity Testing NOT TESTED	 Terpenes NOT TESTED
---	---	---	---	---	---	---	---	--	---

**Cannabinoid** **TESTED**



Analyzed by: 3428, 2, 3313      Weight: 0.9922g      Extraction date: 07/18/24 18:52:29      Extracted by: 3200  
 Analysis Method : SOP.T.40.039.CO      Reviewed On : 07/20/24 14:46:40  
 Analytical Batch : DE008169POT      Batch Date : 07/18/24 09:45:09  
 Instrument Used : Agilent 1100 "Liger"  
 Analyzed Date : N/A

Dilution : 200  
 Reagent : 071724.R10; 071724.R05; 040224.R09; 011624.R11  
 Consumables : 947.100; 429516; 2014919; 0000186393; 319121051; 011724CH01; 41141-130C4-130D; 61572-107C6-107H  
 Pipette : POT- 20E73244; POT- 20E74976; POT- 20K63477; P1000 - 20B29164-A; P200- 6507768

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP.T.90.010.CO for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

**Stephen Goldman**  
Lab Director  
State License # 405R-00011  
405-00008  
ISO 17025 Accreditation # 4331.01



Signature  
07/20/24



879 Federal Blvd  
Denver, CO, 80204, US  
(303) 427-2379

Kaycha Labs

Tincture FS CBG: CBD 3000mg each  
Matrix : Infused  
Type: Tincture



# Certificate of Analysis

TESTED

**Natural Ways**

23802 FM 2978 Suite A5  
Tomball, TX, 77375, US  
Telephone: 2815477061  
Email: nworders@naturalwayscbd.com  
License #: 405R-00011

**Sample : DE40718018-028**

Sampled : 07/18/24  
Ordered : 07/18/24

Sample Size Received : 30 ml

Total Amount : 30 ml  
Completed : 07/20/24 Expires: 07/20/25  
Sample Method : SOP Client Method

Page 2 of 2

## COMMENTS

\* Cannabinoid DE40718018-028POT

1 - 2359.29mg CBG // 2890.35mg CBD per bottle

2 - Measurement Uncertainty for delta-9 THC (wt%, Infused) 95% interval : 0.07, Measurement Uncertainty for THCA (wt%, Infused) 95% interval : 0.05

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

**Stephen Goldman**

Lab Director

State License # 405R-00011  
405-00008

ISO 17025 Accreditation # 4331.01

Signature  
07/20/24