



Certificate of Analysis
Compliance Test

Client Information:

HAPPY FRUIT
6500 S. QUEBEC ST.
UNIT 280
CENTENNIAL, CO 80111

Batch # N03034
Batch Date: 2024-02-01
Extracted From: Hemp

Test Reg State: Florida

Production Facility: Outpost
Production Date: 2024-02-01

Order # HAP240216-030001
Order Date: 2024-02-16
Sample # AAFH873

Sampling Date: 2024-02-27
Lab Batch Date: 2024-02-27
Completion Date: 2024-03-04

Initial Gross Weight: 77.215 g

Number of Units: 1
Net Weight per Unit: 70000.000 mg
Sampling Method: MSP 7.3.1



Product Image

Potency Tested
Heavy Metals Passed
Mycotoxins Passed
Pesticides Passed
Residual Solvents Passed

Pathogenic Microbiology Passed
Microbiology (qPCR) Passed

Potency 25 (LCUV)
Specimen Weight: 1540.290 mg

Tested
SOP13.001 (LCUV)

Potency Summary

Total Active THC 0.221% 154.700 mg	Total Active CBD 0.086% 60.200 mg
Total CBG 0.018% 12.600 mg	Total CBN 0.150% 105.000 mg
Other Cannabinoids 0.048% 33.6 mg	Total Cannabinoids 0.523% 366.100 mg

Pieces For Panel: 10

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-9 THC	10.000	1.30E-5	0.0015	2.2100	0.2210
CBN	10.000	1.40E-5	0.0015	1.4700	0.1470
CBD	10.000	5.40E-5	0.0015	0.8600	0.0860
Delta-8 THC	10.000	2.60E-5	0.0015	0.3500	0.0350
CBG	10.000	2.48E-4	0.0015	0.1800	0.0180
Exo-THC	10.000	2.30E-4	0.0015	0.0972	0.0097
Delta-8 THCV	10.000	4.00E-5	0.0015	0.0348	0.0035
CBNA	10.000	9.50E-5	0.0015	0.0330	0.0033
CBC	10.000	1.80E-5	0.0015	<LOQ	<LOQ
CBCA	10.000	1.07E-4	0.0015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.0015	<LOQ	<LOQ
CBDVA	10.000	1.40E-5	0.0015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.0015	<LOQ	<LOQ
CBL	10.000	3.50E-5	0.0015	<LOQ	<LOQ
CBT	10.000	2.00E-4	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.003	<LOQ	<LOQ
Delta-9 THC-O Acetate	10.000	7.70E-5	0.003	<LOQ	<LOQ
Delta8-THCP *	10.000	3.75E-4	0.0015	<LOQ	<LOQ
Delta9-THCP *	10.000	1.17E-5	0.0012	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.0015	<LOQ	<LOQ
THCB *	10.000	1.80E-4	0.00195	<LOQ	<LOQ
THCH *	10.000	3.50E-4	0.00195	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.0015	<LOQ	<LOQ
THCVA	10.000	4.70E-5	0.0015	<LOQ	<LOQ
Total Active CBD	10.000			0.860	0.086
Total Active THC	10.000			2.210	0.221

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

HAPPY FRUIT
6500 S. QUEBEC ST.
UNIT 280
CENTENNIAL, CO 80111

Batch # N03034
Batch Date: 2024-02-01
Extracted From: Hemp

Test Reg State: Florida

Production Facility: Outpost
Production Date: 2024-02-01

Order # HAP240216-030001
Order Date: 2024-02-16
Sample # AAFH873

Sampling Date: 2024-02-27
Lab Batch Date: 2024-02-27
Completion Date: 2024-03-04

Initial Gross Weight: 77.215 g

Number of Units: 1
Net Weight per Unit: 70000.000 mg
Sampling Method: MSP 7.3.1

Total Yeast and Mold
Specimen Weight: 502.900 mg

Passed
SOP13.017 (qPCR)

Pathogenic Microbiology SAE
(MicroArray)

Passed
SOP13.019
(Micro Array)

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark
Total Yeast/Mold	100000	<LOQ	Passed

Specimen Weight: 1021.600 mg

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

HAPPY FRUIT
6500 S. QUEBEC ST.
UNIT 280
CENTENNIAL, CO 80111

Batch # N03034
Batch Date: 2024-02-01
Extracted From: Hemp

Test Reg State: Florida

Production Facility: Outpost
Production Date: 2024-02-01

Order # HAP240216-030001
Order Date: 2024-02-16
Sample # AAFH873

Sampling Date: 2024-02-27
Lab Batch Date: 2024-02-27
Completion Date: 2024-03-04

Initial Gross Weight: 77.215 g

Number of Units: 1
Net Weight per Unit: 70000.000 mg
Sampling Method: MSP 7.3.1



Heavy Metals

Specimen Weight: 251.100 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 199

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ	Mercury (Hg)	.58	100	3000	<LOQ



Mycotoxins

Specimen Weight: 590.900 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.540

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					



Residual Solvents - FL (CBD)

Specimen Weight: 318.250 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	16.309
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	125.127	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

HAPPY FRUIT
6500 S. QUEBEC ST.
UNIT 280
CENTENNIAL, CO 80111

Batch # N03034
Batch Date: 2024-02-01
Extracted From: Hemp

Test Reg State: Florida

Production Facility: Outpost
Production Date: 2024-02-01

Order # HAP240216-030001
Order Date: 2024-02-16
Sample # AAFH873

Sampling Date: 2024-02-27
Lab Batch Date: 2024-02-27
Completion Date: 2024-03-04

Initial Gross Weight: 77.215 g

Number of Units: 1
Net Weight per Unit: 70000.000 mg
Sampling Method: MSP 7.3.1

Pesticides
Specimen Weight: 590.900 mg

Passed
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.540

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	300	<LOQ	Fludioxonil	1.7400E+0	48	3000	<LOQ
Acephate	2.3000E-2	30	3000	<LOQ	Hexythiazox	4.9000E-2	30	2000	<LOQ
Acequinocyl	9.5640E+0	48	2000	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	3000	<LOQ	Imidacloprid	9.4000E-2	30	3000	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	1000	<LOQ
Azoxystrobin	8.1000E-2	10	3000	<LOQ	Malathion	8.2000E-2	30	2000	<LOQ
Bifenazate	1.4150E+0	30	3000	<LOQ	Metaxyl	8.1000E-2	10	3000	<LOQ
Bifenthrin	4.3000E-2	30	500	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	3000	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	3000	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	3000	<LOQ
Chlorantraniliprole	3.3000E-2	10	3000	<LOQ	Naled	9.5000E-2	30	500	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chloromequat Chloride	1.0800E-1	10	3000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	200	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	1000	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Phosmet	8.2000E-2	30	200	<LOQ
Clofentezine	1.1900E-1	30	500	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Prallethrin	7.9800E-1	30	400	<LOQ
Cyfluthrin	3.1100E+0	30	1000	<LOQ	Propiconazole	7.0000E-2	30	1000	<LOQ
Cypermethrin	1.4490E+0	30	1000	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Pyrethrins	2.3593E+1	30	1000	<LOQ
Diazinon	4.4000E-2	30	200	<LOQ	Pyridaben	3.2000E-2	30	3000	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Spinetoram	8.0000E-2	10	3000	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinosad	8.8000E-2	30	3000	<LOQ
Dimethomorph	5.8300E+0	48	3000	<LOQ	Spiromesifen	2.6100E-1	30	3000	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	3000	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Etoxazole	9.5000E-2	30	1500	<LOQ	Tebuconazole	6.7000E-2	30	1000	<LOQ
Fenhexamid	5.1000E-1	10	3000	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	1000	<LOQ
Fenpyroximate	1.3800E-1	30	2000	<LOQ	Trifloxystrobin	3.7000E-2	30	3000	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ					
Fonicamid	5.1700E-1	30	2000	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

